


*Dumaresq-Barwon Border
Rivers Commission*



*Annual Statistics
2014-15*

Dumaresq-Barwon Border Rivers Commission

2014-15 Annual Statistics

Water Infrastructure

Table 1	Key features of Border Rivers Commission works	1
Table 2	Glenlyon Dam monthly storage volumes (megalitres).....	2
Table 3	Glenlyon Dam monthly releases/spillway flows (megalitres).....	3
Table 4	Glenlyon Dam recreation statistics.....	4

Resource allocation, sharing and use

Table 5	Supplemented/regulated and unsupplemented/supplementary water entitlements and off-stream storages	5
Table 6	Water use from the Border Rivers 2013 – 2014	6
Table 7	Water use from the Border Rivers 2014 – 2015	7
Table 8	Summary of Resource Assessments 2013 – 2014	8
Table 9	Summary of Resource Assessments 2014 – 2015	9
Table 10	Access to unsupplemented/ supplementary water from the Border Rivers.....	10
Table 11	Irrigated production in the Border Rivers	11
Table 12	Groundwater allocation/entitlements in the Border Rivers Groundwater Area.....	12
Table 13	Groundwater use in the Border Rivers Groundwater Area	13

Resource Management

Table 14	Beardmore Dam, compensation inflow, storage and releases	14
Table 15	Guidelines for physical and chemical stressors – ANZECC (2000)	15
Table 16	Summary of water quality 2013 – 2014	16
Table 17	Summary of water quality 2014 – 2015	17
Table 18	Stream gauging stations (Border Rivers)	18
Table 19	Stream gauging stations (Intersecting Streams)	19
Table 20	Groundwater monitoring network	20

Table 1 Key features of Border Rivers Commission works

Name	Stream	AMTD (km)	Nearest town/s	Description	FSL above bed (m)	Storage capacity (ML)	Date completed
DAMS							
Glenlyon Dam	Pike Creek	6.4	Stanthorpe Tenterfield Texas	Earth & rockfill	47.4	254,000	1976
WEIRS							
Boggabilla Weir	Macintyre River	283.5	Boggabilla Goondiwindi	Reinforced concrete and earthfill	8.5	5,850	1991
Boomi Weir	Macintyre River	147	Boomi	Steel sheetpiling	4.1	354	1960
Bonshaw Weir	Dumaresq River	126.7	Texas	Steel sheetpiling	2.9	617	1953/58
Coomonga Weir	Coomonga Creek		Toobeah	Steel sheetpiling			1986
Cunningham Weir	Dumaresq River	67.9	Texas	Timber piled (written-off)	4.6	543	1954
Glenarbon Weir	Dumaresq River	57	Yelarbon	Steel sheetpiling	2.7	353	1959
Goondiwindi Weir	Macintyre River	268.8	Goondiwindi	Timber crib (fishway added)	2.8	1,800	1942
Mungindi Weir	Barwon River	4.8	Mungindi	Steel sheetpiling	3.6	730	1936/65
REGULATORS							
Boomi Regulator	Boomi River		Boomi	Reinforced concrete with hardwood dropboards			1960
Newinga Regulator	Barwon to Weir River flood channel		Talwood	Reinforced concrete with aluminium dropboards			1993
Regulator No 1	Balonne Minor	163.5	Dirranbandi	Steel sheetpiling with rock protection			1974
	Culgoa River	162.6					
Regulator No 2	Balonne Minor	128.9	Dirranbandi	Steel sheetpiling with rock protection			1974
	Donnegri River	14.9					
Regulator No 3	Ballandool River	91.4	Dirranbandi	Steel sheetpiling with rock protection			1974
	Bokhara River	79.8					
Regulator No 4	Birrie River	274.7	Goodooga	Steel sheetpiling with rock protection			1974
	Bokhara River	276.2					

Table 2 - Glenlyon Dam monthly storage volumes (megalitres)

End of month	2013-14	2014-15
July	235572	95155
August	234890	95066
September	233700	93390
October	230826	85502
November	221070	73918
December	203942	66912
January	113110	70590
February	99588	69994
March	97764	70365
April	96860	71265
May	95870	76468
June	95600	76702

(1) Storage volumes in this table are at 24:00 hrs on the last day of each month as recorded at GS 416315A.

Table 3 - Glenlyon Dam monthly releases / spillway flows (megalitres)

Month	2013-14		2014-15	
	Release	Spillway flows	Release	Spillway flows
July	0	0	0	0
August	0	0	0	0
September	0	0	1141	0
October	1317	0	7269	0
November	11073	0	11088	0
December	16651	0	8182	0
January	99901	0	0	0
February	13607	0	0	0
March	2954	0	0	0
April	0	0	0	0
May	369	0	0	0
June	0	0	0	0

(1) The monthly releases in this table are the flow volumes as recorded at GS 416309B less any spillway flows.

(2) The monthly spillway flows are the flow volumes as recorded at GS416315A.

Table 4 - Glenlyon Dam recreation statistics

1 July 13 – 30 June 14		1 July 14 – 30 June 15	
Visitors	Camp sites occupied	Visitors	Camp sites occupied
68618	8428	48510	6590

Table 5 Supplemented/regulated and unsupplemented/supplementary water entitlements and off stream storages Border Rivers

	Supplemented/regulated (megalitres) (1)		Unsupplemented/supplementary (megalitres)		Off-stream Storages (megalitres)	
	NSW	QLD	NSW(2)	QLD	NSW	QLD
Pike Creek and Dumaresq River from Glenlyon Dam to Bonshaw Weir	5172	2,982	2,402	511		
Dumaresq River from Bonshaw Weir to Cunningham Weir (excluding Texas town)	6,529	5,676	2,937	626		
Texas Town		270				
Dumaresq River from Cunningham Weir to Macintyre River junction (excluding Yelarbon town)	2,122	2,254	534	3,846	400	6,300
Yelarbon Town		106				
Macintyre River from Dumaresq River junction to Goondiwindi Weir (excluding Goondiwindi & Boggabilla towns)	61,390	35,603	27,685	35,526	29,150	125,850
Boggabilla Town	200					
Goondiwindi Town		1,800				
Macintyre River from Goondiwindi Weir to Boomi Weir	118,077	9,985	56,141	15,940	86,025	25,210
Macintyre River and Barwon River from Boomi Weir to Mungindi Weir (excluding Mungindi town)	48,031	25,988	23,658	42,739	65,600	125,264
Mungindi Town	300					
Totals	241,821	84,664	113,357	99,188	181,175	282,624

(1) The statistics for supplemented/regulated water entitlements in this table include all supplemented/regulated water entitlements including entitlements for irrigation, industrial, town water, high security, stock and domestic purposes but they do not include authorities/permits issued for the taking of stock and domestic water under rights granted to riparian landholders.

Table 6 - Water use from the Border Rivers 1 July 13 30 June 14 (megalitres)

	Supplemented/ regulated			Unsupplemented/ supplementary		
	NSW	QLD	Total	NSW	QLD	Total
Pike Creek and Dumaresq River from Glenlyon Dam to Bonshaw Weir	3,565	3,161	6,726	242	353	595
Dumaresq River from Bonshaw Weir to Cunningham Weir (excluding Texas town)	2,942	2,382	5,324	292	193	485
Texas Town		169	169			0
Dumaresq River from Cunningham Weir to Macintyre River junction (excluding Yelarbon town)	1,813	6,246	8,059	39	336	375
Yelarbon Town		99	99			0
Macintyre River from Dumaresq River junction to Goondiwindi Weir (excluding Goondiwindi & Boggabilla towns)	53,709	10,125	63,834	1,868	2706	4,574
Boggabilla Town	175		175			0
Goondiwindi Town		1,800	1,800			0
Macintyre River from Goondiwindi Weir to Boomi Weir	87,708	9,370	97,078	3,701	1301	5,002
Macintyre River and Barwon River from Boomi Weir to Mungindi Weir (excluding Mungindi town)	36,029	13,847	49,876	1,494	3100	4,594
Mungindi Town	269		269			0
Totals	186,210	47,199	233,409	7,636	7,989	15,625

(1) The above water use statistics only include water diverted from the Border Rivers under the authority of Border Rivers water entitlements. Water transferred from a tributary (eg the Macintyre Brook) to the Border Rivers and then diverted from the Border Rivers is not included in these statistics. Water temporarily transferred from one state to the other is reported as being use in the state of origin not the state of destination.

(2) Water taken by both Qld and NSW irrigators under the water sharing rules permitting small enterprises upstream of Goondiwindi Weir to pump from small unregulated inflows for direct irrigation, is included in the states' supplementary/unregulated water use statistics.

Table 7 - Water use from the Border Rivers 1 July 14 30 June 15 (megalitres)

	Supplemented/ regulated			Unsupplemented/ supplementary		
	NSW	QLD	Total	NSW	QLD	Total
Pike Creek and Dumaresq River from Glenlyon Dam to Bonshaw Weir	788	570	1,358	872	833	1,705
Dumaresq River from Bonshaw Weir to Cunningham Weir (excluding Texas town)	628	1,159	1,787	642	708	1,350
Texas Town		79	79			
Dumaresq River from Cunningham Weir to Macintyre River junction (excluding Yelarbon town)	325	154	479	67	880	947
Yelarbon Town		77	77			
Macintyre River from Dumaresq River junction to Goondiwindi Weir (excluding Goondiwindi & Boggabilla towns)	12348	1,783	14,131	109	7902	8,011
Boggabilla Town	146		146			
Goondiwindi Town		2,108	2,108			
Macintyre River from Goondiwindi Weir to Boomi Weir	17680	1,004	18,684		6365	6,365
Macintyre River and Barwon River from Boomi Weir to Mungindi Weir (excluding Mungindi town)	2606	1,184	3,790		11877	11,877
Mungindi Town	242		242			
Totals	34763	8,118	42,881	1690	28,565	30,255

(1) The above water use statistics only include water diverted from the Border Rivers under the authority of Border Rivers water entitlements. Water transferred from a tributary (eg the Macintyre Brook) to the Border Rivers and then diverted from the Border Rivers is not included in these statistics. Water temporarily transferred from one state to the other is reported as being use in the state of origin not the state of destination.

(2) Water taken by both Qld and NSW irrigators under the water sharing rules permitting small enterprises upstream of Goondiwindi Weir to pump from small unregulated inflows for direct irrigation, is included in the states' supplementary/unregulated water use statistics.

Table 8 Summary of resource assessments (Border Rivers) 1 July 13 30 June 14 (gigalitres)

Bulk Accounts	Queensland				New South Wales			
	Account balance 1/07/2013	Total use/loss for year	Total distribution for year	Account balance 1/07/2014	Account balance 1/07/2013	Total use/loss for year	Total distribution for year	Account balance 1/07/2014
	(a)	(b)	(c)	(a)-(b)+(c)	(a)	(b)	(c)	(a)-(b)+(c)
Storage Loss (Glenlyon Dam)	6.29	8.78	6.10	3.61	10.26	14.33	9.08	5.01
Storage Loss (Pindari Dam)					13.82	8.63	1.18	6.37
Essential Supplies (minimum release)	0.00	0.00	0.00	0.00	6.08	4.00	4.00	6.08
Essential Supplies (other)	6.95	2.27	1.66	6.34	24.71	5.34	5.28	24.65
Essential Supplies Delivery Loss	2.64	0.68	0.50	2.46	10.31	1.62	1.60	10.29
General Use	52.79	43.46	11.29	20.62	214.50	183.72	11.25	42.03
General Use Delivery Loss	15.85	13.05	3.37	6.17	64.35	55.13	3.38	12.60

Table 9 Summary of resource assessments (Border Rivers) 1 July 14 30 June 15 (gigalitres)

Bulk Accounts	Queensland				New South Wales			
	Account balance 1/07/2014	Total use/loss for year	Total distribution for year	Account balance 1/07/2015	Account balance 1/07/2014	Total use/loss for year	Total distribution for year	Account balance 1/07/2015
	(a)	(b)	(c)	(a)-(b)+(c)	(a)	(b)	(c)	(a)-(b)+(c)
Storage Loss (Glenlyon Dam)	3.61	6.42	7.13	4.32	5.01	7.27	5.88	3.62
Storage Loss (Pindari Dam)					6.37	5.27	7.09	8.19
Essential Supplies (minimum release)	0	0	0	0	6.08	0	0	6.08
Essential Supplies (other)	6.34	1.83	2.44	6.95	24.65	3.19	3.25	24.71
Essential Supplies Delivery Loss	2.46	0.7	0.88	2.64	10.29	1.63	1.65	10.31
General Use	20.62	4.94	5	20.68	42.03	35.99	41.82	47.86
General Use Delivery Loss	6.17	1.48	1.53	6.22	12.60	10.8	12.56	14.36

Table 10 Access to unsupplemented/supplementary water from the Border Rivers

Month	1 July 13 – 30 June 14		1 July 14 – 30 June 15	
	Access by small irrigation enterprises u/s of Goondiwindi Weir	General access to unregulated flows(1)	Access by small irrigation enterprises u/s of Goondiwindi Weir	General access to unregulated flows(1)
July	31 days			
August	31 days			
September				
October				
November				
December			15 days	
January			17 days	28 hrs
February			11 days	5 hrs
March	3 days			
April	17 days	6.50%	24 days	28 hrs
May			31 days	
June			30 days	

(1) General access to unregulated flows is authorised in hours and days in Queensland and as a percentage in New South Wales

Table 11 – Irrigated production in the Border Rivers (hectares)

Crop	2013-14			2014-15		
	NSW	Qld	TOTAL	NSW	Qld	TOTAL
Cotton	34513	12500	47,013	7685		7685
Lucerne	710	750	1,460	550		550
Cereals	700	2000	2,700	800		800
Peanuts	250	100	350	250		250
Fodder crops	360	350	710	300		300
Horticultural crops	50	50	100	50		50
Other	50		50	50		50
Total	36,633	15,750	52,383	9,685	0	9,685

(1) The irrigated production statistics in this table include the crops grown on properties which take all or

(2) The statistics for each year include the winter crop areas planted during the year

Table 12 - Groundwater allocation/entitlements in the Border Rivers Groundwater Area

	NSW ⁽¹⁾	Qld
Issued allocation/entitlement	15,402	14,421 ⁽²⁾
Allocation/entitlement issued, bores constructed	15,402	14,421
Allocation/entitlement issued, bores not constructed	0	0
Number of entitlements	26	26
Number of bores constructed	49	39 ⁽³⁾
Number of applications outstanding	0	0

(1) The figures provided for NSW are for the area defined as the Border Rivers Alluvium GWMA 022 Glenlyon dam to Keetah Bridge.

(2) The Queensland figures do not include the allocation issued in the shallow aquifer, which is about 3,500 ML

(3) 4 of the 39 bores constructed are not equipped.

Note: on the 1 June 2012 the "Water Sharing Plan for the NSW Border Rivers Unregulated and Alluvial Water Sources (the plan)" commenced.

In the plan, the area of the NSW alluvium that is part of the NSW/QLD Border Rivers Commission agreement is the NSW Border Rivers Upstream of Keetah Bridge Alluvial Groundwater Source.

The commencement of the plan turns on the Water Management Act 2000 in the area of the plan. This Act allows for trading of unit shares. You do not have to own land to own water. The number aquifer access licences can grow (if holders split share holdings) or reduce (if holders amalgamate share holdings) and the number of extraction points (bores) can also grow or reduce. The total number of shares will remain the same and usage will be restricted to the long term average extraction limit.

As of 1 August 2014 the following statics are in place:

Total amount of Local Water Utility Access ML	10
Total number of Local Water Utility Access extraction points	1
Total number of Aquifer Access Licence unit shares	15,392 ⁽⁵⁾
Long term average extraction limit ML	8,085
Total number of Aquifer Access Licences	25
Total number of Aquifer Access Licence extraction points completed	50
Total number of Aquifer Access Licences extraction points not completed	0

(5) At the commencement of the plan the available water determination is one ML per unit share

Table 13 - Groundwater use in the Border Rivers Groundwater Area (megalitres)

1 July 13 – 30 June 14		1 July 14 – 30 June 15	
NSW	Qld	NSW	Qld
5347	6165	5169	6643

Table 14 - Beardmore Dam environmental, stock and domestic water inflow, storage and outflow / releases (#)

Month	2013-14			2014-15		
	Inflow (ML)	Release (ML)	Storage at end of month (ML)	Inflow (ML)	Outflow / Release (ML)	Storage at end of month (ML)
July	3500	3000	All inflows up to 730 ML/day were passed through the dam	0	0	0
August	5900	5400		750	0	750
September	0	0		0	50	700
October	0	0		0	50	650
November	0	0		0	50	600
December	0	0		10300	7700	3200
January	0	0		5350	8550	0
February	1300	0	1200	400	400	0
March	4600	700	4600	4950	3650	1300
April	12500	16300	All inflows up to 730 ML/day were passed through the dam	7050	8250	100
May	0	400		8350	7900	550
June	0	0		2950	3100	400
Totals	27,800	25,800		40,100	39,700	

The first 730 meglitres per day of inflow to Beardmore Dam is accounted for as environmental, stock and domestic water under section 275 of the Condamine and Balonne resouce operations plan.

Table 15 Guidelines for physical and chemical stressors ANZECC (2000)

Water quality indicator		Default trigger value (1)	Notes
Salinity (μScm^{-1})	Upland rivers (2)	350	Conductivity may be higher during low flow periods
	Lowland rivers	300	
	Lakes and reservoirs	20 - 30	Conductivity in lakes and reservoirs is generally low but will vary depending on catchment geology
Turbidity (NTU)	Upland rivers (2)	25	High turbidities may be observed during high flow events
	Lowland rivers	50	
	Lakes and reservoirs	1 - 20	Deep reservoirs will generally have a lower turbidity than shallow reservoirs
Total Nitrogen (mgL^{-1})	Upland rivers (2)	0.2	
	Lowland rivers	0.6	
	Lakes and reservoirs	0.35	
Total Phosphorus (mgL^{-1})	Upland rivers (2)	0.02	Above these levels excessive algal growth may occur
	Lowland rivers	0.05	
	Lakes and reservoirs	0.01	

(1) The default trigger values provide a guide to the value or range of values of the specific water quality indicator, which, if exceeded, may indicate conditions detrimental to the health of the ecosystem which may require management action.

(2) Upland rivers are those above 150m altitude

Table 16 Summary of water quality 2013 14

Basin	Site no	Location	Electrical				Total Phosphorus				Total Nitrogen				Turbidity			
			N	10th %ile	Med	90th	N	10th %ile	Med	90th	N	10th %ile	Med	90th	N	10th %ile	Med	90th
Dumaresq Tributaries	416003	Tenterfield Creek at Clifton	10	249.5	366	515.6	10	0.0369	0.1355	0.1936	10	0.457	1.09	1.71	10	3.48	8	31.1
	416310	Severn River at Farnbro	10	202	259.5	281.2	10	0.0317	0.0475	0.1721	10	0.623	0.815	1.62	10	3.47	8.55	21.6
	416303	Pike Creek U/S Glenlyon Dam	9	231	320	442.6	9	0.0328	0.047	0.0652	9	0.432	0.6	0.818	9	2.68	5.7	11.2
	416309	Pike Creek at Glenlyon Dam Tailwater	10	201	260	551.2	10	0.0248	0.038	0.0965	10	0.312	0.67	0.919	10	3.41	5.9	15.7
	416032	Mole River at Donaldson	10	173.9	250.5	407.2	10	0.0318	0.0495	0.0878	10	0.377	0.585	0.836	10	3.85	6.5	37.2
	416008	Beardy River at Haystack	9	155.4	182	416.8	9	0.029	0.04	0.0666	9	0.34	0.44	0.766	9	2.4	5.5	35.8
	416312	Oaky Creek at Texas	5	641.6	660	733	5	0.0252	0.044	0.0838	5	0.134	0.31	0.642	5	4.6	7.5	9.26
	416415	Macintyre Brook at Booba Sands	10	290.2	514	651.4	10	0.042	0.0735	0.1128	10	0.548	0.875	1.27	10	7.24	9.35	41
Dumaresq River	416007	Macintyre River at Bonshaw Weir	10	201.8	221.5	272.8	10	0.0376	0.0425	0.064	10	0.507	0.595	0.76	10	2.71	7.15	45
	416049	Macintyre River at Mauro	10	202.6	235	321.9	10	0.0395	0.047	0.0603	10	0.458	0.525	0.61	10	3.7	7.55	22
Macintyre River	416012	Macintyre River at Holdfast	10	197.7	281.5	442.4	10	0.0721	0.112	0.1764	10	0.495	0.575	0.835	10	6.39	11.5	19.8
	4.2E+07	Salisbury Bridge (Boggabilla)	10	206.6	248.5	278.1	10	0.0576	0.084	0.1234	10	0.584	0.67	0.862	10	6.46	16	45.9
	416048	Macintyre River at Kanowna	10	211.7	247	345.9	10	0.0669	0.1005	0.1505	10	0.573	0.77	1.03	10	43.9	60	109
Barwon River	416001	Barwon River at Mungindi	10	195.7	234	358.2	10	0.0442	0.0775	0.1063	10	0.53	0.64	0.914	11	21	33	70
Weir River	416202	Weir River at Talwood	10	223.7	276.5	445.1	10	0.1996	0.2785	0.3845	10	1.4	1.85	2.07	10	445	750	1110
Intersecting Streams	424002	Paroo at willara crossing	10	87.2	145	197.4	10	0.1636	0.2235	0.3333	10	0.805	1	1.62	10	550	625	1030
	423002	Warrego River at Fords Bridge	1	92	92	92	1	0.279	0.279	0.279	1	0.94	0.94	0.94	1	500	500	500
	422015	Culgoa River at Brenda	10	242.6	340.5	567.3	10	0.2341	0.2905	0.3092	10	0.827	0.985	1.32	10	128	250	320
	422014	Bokhara River at Goodooga	10	240.5	329.5	612.3	10	0.2587	0.32	0.3876	10	1.09	1.2	1.72	10	168	290	383
	422013	Birrie River near Goodooga	5	213.2	242	290.8	5	0.2384	0.267	0.302	5	0.892	0.96	1.22	5	206	250	394
	422012	Narran River at New Angledool	9	233	257	351.2	9	0.215	0.329	0.379	9	0.99	1.2	1.54	9	225	450	550
Glenlyon Dam	416315	Glenlyon 1: Top	10	196.7	207.5	217.2	10	0.0246	0.028	0.0314	10	0.689	0.865	0.956	10	1.37	2.55	4.12
		Glenlyon 1: Middle	10	174.6	201	212.4	10	0.0199	0.024	0.0322	10	0.659	0.73	0.932	10	1.28	1.85	2.64
		Glenlyon 1: Bottom	10	196.8	203	219.2	10	0.0176	0.03	0.0682	10	0.708	0.845	0.982	10	1.47	2.3	3.12

(1) The table provides information on the median value (middle value), the 10th percentile (10% of the samples are below this value) and the 90th percentile (90% of the samples are below this value; v.v. 10% of the samples are greater than this value). N = number of samples collected and analysed.

Table 17 Summary of water quality 2014 15

Basin	Site no	Location	Electrical				Total Phosphorus				Total Nitrogen				Turbidity			
			N	10th %ile	Med	90th	N	10th %ile	Med	90th	N	10th %ile	Med	90th	N	10th %ile	Med	90th
Dumaresq Tributaries	416003	Tenterfield Creek at Clifton	12	273	301	666	12	0.02	0.05	0.11	12	0.39	0.61	1.28	12	1.9	4.5	20.9
	416310	Severn River at Farnbro	9	199	231	269	9	0.02	0.03	0.06	9	0.44	0.66	1.02	9	2.1	5.2	11.8
	416303	Pike Creek U/S Glenlyon Dam	6	243	303	347	6	0.02	0.02	0.03	6	0.34	0.43	0.59	6	0.7	2	6.4
	416309	Pike Creek at Glenlyon Dam Tailwater	12	238	403	452	12	0.02	0.03	0.05	12	0.36	0.54	0.89	12	1.4	5.1	11.6
	416032	Mole River at Donaldson	12	164	251	411	12	0.02	0.03	0.06	12	0.35	0.48	0.8	12	2.9	5.2	9.4
	416008	Beardy River at Haystack	10	154	160	241	10	0.02	0.03	0.05	10	0.24	0.4	0.68	10	5.2	7.7	14.1
	416312	Oaky Creek at Texas	4	569	615	648	4	0.02	0.03	0.05	4	0.3	0.47	1.1	4	3	3.6	5.3
	416415	Macintyre Brook at Booba Sands	12	250	487	644	12	0.04	0.07	0.14	12	0.73	0.86	1.84	12	5	13.5	143
Dumaresq River	416007	Macintyre River at Bonshaw Weir	12	198	230	339	12	0.03	0.04	0.05	12	0.47	0.61	0.69	12	3.2	3.9	11.6
	416049	Macintyre River at Mauro	12	190	243	343	12	0.03	0.05	0.07	12	0.54	0.66	0.94	12	4.9	8.6	17.4
Macintyre River	416012	Macintyre River at Holdfast	12	250	337	383	12	0.05	0.09	0.11	12	0.52	0.67	1.35	12	5.2	10.4	34.9
	4.2E+07	Salisbury Bridge (Boggabilla)	12	192	243	371	12	0.05	0.08	0.13	12	0.54	0.88	1.29	12	10.1	22.5	95
	416048	Macintyre River at Kanowna	11	172	228	322	11	0.08	0.1	0.15	11	0.58	0.76	1.4	11	50	110	210
Barwon River	416001	Barwon River at Mungindi	12	183	249	302	12	0.06	0.09	0.16	12	0.62	0.8	1.1	12	57.5	100	291
Weir River	416202	Weir River at Talwood	12	102	152	214	12	0.18	0.2	0.23	12	1.31	1.65	1.7	12	311	700	800
Intersecting Streams	424002	Paroo at willara crossing	11	51	76	106	11	0.15	0.21	0.25	11	0.58	0.96	1.2	11	500	650	750
	423002	Warrego River at Fords Bridge	6	110	129	232	6	0.11	0.29	0.37	6	0.72	0.91	1.35	6	325	850	1700
	422015	Culgoa River at Brenda	12	141	229	334	12	2	23	27	12	9	1	1.1	12	381	575	835
	422014	Bokhara River at Goodooga	11	162	269	495	11	0.23	0.44	0.57	11	0.87	1.5	2.1	11	320	500	650
	422013	Birrie River near Goodooga	5	159	187	212	5	0.2	0.29	0.49	5	0.79	1.1	1.68	5	334	450	530
	422012	Narran River at New Angledool	11	155	205	299	11	0.23	0.3	0.36	11	0.9	1.2	1.6	11	550	750	850
Glenlyon Dam	416315	Glenlyon 1: Top	12	231.5	251.5	256.8	12	0.02	0.02	0.03	12	0.83	0.91	0.99	12	1.72	2.8	3.42
		Glenlyon 1: Middle	12	229.5	243.5	252	12	0.019	0.025	0.03	12	0.72	0.85	0.9	12	2.21	2.9	3.48
		Glenlyon 1: Bottom	12	229.2	245	252.8	12	0.02	0.03	0.06	12	0.87	0.92	0.99	12	1.43	2.35	3.74

(1) The table provides information on the median value (middle value), the 10th percentile (10% of the samples are below this value) and the 90th percentile (90% of the samples are below this value; v.v. 10% of the samples are greater than this value). N = number of samples collected and analysed

Table 18 Stream gauging stations (Border Rivers)

AWRC No	Stream	Station	Equipment (see note)	Telemetry	Established date	Owned by	2013-14 Total Flow (MLx103)	2014-15 Total Flow (MLx103)	Historical		
									Min	Max	Median
416001	Barwon River	Mungindi	AR	Yes	1889	NOW	78.1	98.9	21 (1994-95)	3,131 (1950-51)	433
416002	Macintyre River	Boggabilla	AR	Yes	1895	NOW	326	239	29 (1919-20)	4,490 (1950-51)	622
416003	Tenterfield Creek	Clifton	AR	Yes	1921	NOW	11.4	18.6	1 (2002-03)	235 (1949-50)	37
416006	Severn River	Ashford	AR	Yes	1934	NOW	183	72.1	17 (1941-42)	1,389 (1950-51)	186
416007	Dumaresq River	Bonshaw Weir	AR	Yes	1934	NOW	201	153.5	54 (1993-94)	1,739 (2010-11)	266
416008	Beardy River	Haystack	AR	Yes	1934	NOW	11	24.6	5 (1941-42)	218 (2010-11)	31
416010	Macintyre River	Wallangra	AR	Yes	1937	NOW	10.3	32.2	6 (1941-42)	667 (1970-71)	75.4
416011	Dumaresq River	Roseneath	AR	Yes	1937	NOW	189	127	36 (1993-94)	1,603 (1955-56)	272
416012	Macintyre River	Holdfast	AR	Yes	1951	NOW	181	103	49 (1957-58)	1,682 (1955-56)	283
416020	Ottdleys Creek	Coolatai	AR	Yes	1967	NOW	1.7	3.9	1 (2006-07)	65 (2000-01)	8
416032	Mole River	Donaldson	AR	Yes	1969	NOW	24.9	34	13 (1993-94)	465 (1975-76)	72
416037	Boomi River	Offtake	AR	Yes	1973	NOW	133	21.8	3 (1994-95)	149 (2011-12)	34.2
416040	Dumaresq River	Glenarbon Weir	AR	Yes	1996	NOW	180	146	74 (2006-07)	1,793 (2010-11)	190
416043	Macintyre River	Boomi Weir	AR	Yes	1976	NOW	155	122	21 (1994-95)	551 (2010-11)	158
416047	Macintyre River	Terrewah	AR	Yes	1985	NOW	213	182	31 (1994-95)	1,488 (2010-11)	243
416048	Macintyre River	Kanowna	AR	Yes	1988	NOW	121	110	25 (1994-95)	727 (1998-99)	140
416201A	Macintyre River	Goondiwindi	AR	Yes	1950	DNRM	297	226	61 (1994-95)	4,529 (1950-51)	757
416201B	Macintyre River	Goondiwindi Weir	AR	Yes	1997	DNRM	275	206	158 (2006-07)	2,421 (2010-11)	279
416202A	Weir River	Talwood	AR	Yes	1949	DNRM	15	34	0 (2006-07)	687 (1995-96)	66
416305B	Brush Creek	Beebo	AR	Yes	1950	DNRM	0	1	0 (Several)	55 (1995-96)	2.8
416309B	Pike Creek	Glenlyon Dam Tailwater	AR	Yes	1973	DNRM	150	27	4 (1976-77)	180 (1988-89)	60
416310A	Dumaresq River	Farnbro	AR	Yes	1962	DNRM	8	33	0.9 (2002-03)	433 (2010-11)	53
416312A	Oakey Creek	Texas	AR	Yes	1969	DNRM	0.4	3	0.01 (1973-74)	99 (1995-96)	6
416315A	Pike Creek	Glenlyon Dam Headwater	AR	Yes	1977	DNRM	0	0	0 (Several)	133 (2010-11)	0
416402C	Macintyre Brook	Inglewood	AR	Yes	1953	DNRM	32	23	6 (1994-95)	546 (1995-96)	37
416415A	Macintyre Brook	Booba Sands	AR	Yes	1987	DNRM	25	19	4 (1994-95)	630 (1995-96)	35

(1) AR = automatic recorder; SG = staff gauge, Established date = commencement date of Hydtra data records, NOW = NSW Office of Water, DNRM = Queensland Department of Natural Resources and Mines

Table 19 Stream gauging stations (Intersecting Streams)

AWRC No	Stream	Station	Equipment (see note)	Telemetry	Established date	Owned by	2013-14 Total Flow (MLx103)	2014-15 Total Flow (MLx103)	Historical		
									Min	Max	Median
417001	Moonie River	Gundablouie	AR	Yes	1945	NOW	18	2.71	0 (1951-52)	674 (2011-12)	60.9
417204A	Moonie River	Fenton	AR	Yes	1971	DNRM	16	5	0.5 (1979-80)	670 (1975-76)	70
422005	Bokhara River	Goodwin's	AR	Yes	1944	NOW	0.455	2.26	0 (Several)	652 (1955-56)	25.9
422006	Culgoa River	Downstream Collerina	SG	No	1944	NOW	30	37.2	7 (2001-02)	2,341 (1989-90)	287
422010	Birrie River	Talawanta	SG	No	1964	NOW	0.144	2	0 (Several)	379 (1975-76)	24.8
422011	Culgoa River	Upstream Collerina	AR	Yes	1964	NOW	29	36.8	6 (2001-02)	1,898 (2010-11)	168
422030	Narran River	Angledool	Discontinued	No	1959	NOW	7.74	9.74	0 (1992-93)	697 (2010-11)	107
422013	Birrie River	Near Goodooga	AR	No	1964	NOW	1.23	4.34	0 (1992-93)	510 (2010-11)	28.8
422032	Bokhara River	Goodooga	SG	No	1915	NOW	1.76	5.17	0 (Several)	445 (2010-11)	14.4
422015	Culgoa River	Brenda	AR	Yes	1960	NOW	33	43.1	0 (1992-93)	2530 (2010-11)	166
422016	Narran River	Wilby Wilby	AR	No	1964	NOW	4.5	5.92	0 (2006-07)	623 (2010-11)	104
422017	Culgoa River	Weilmoringle	SG	No	1964	NOW	31	39.7	0 (1992-93)	1911 (2010-11)	187
422204A	Culgoa River	Whyenbah	AR	Yes	1965	DNRM	79	79	2.7 (1992-93)	2,247 (2010-11)	329
422206A	Narran River	Dirranbandi- Hebel Road	AR	Yes	1965	DNRM	18	21	0.2 (1992-93)	1,993 (2010-11)	112
422207A	Ballando ol River	Hebel-Bollon Road	AR	Yes	1965	DNRM	3	5	0 (1992-93)	390 (2010-11)	16
422209A	Bokhara River	Hebel	AR	Yes	1967	DNRM	3.5	12	0.5 (1992-93)	372 (2010-11)	22
422211A	Briarie Creek	Woolerbilli- Hebel Road	AR	Yes	1992	DNRM	0	0	0 (Several)	953 (2010-11)	7
423001	Warrego River	Fords Bridge	AR	Yes	1921	NOW	1.3	0.858	1 (Several)	344 (1989-90)	5.82
423002	Warrego River	Fords Bridge (Bywash)	AR	Yes	1921	NOW	3.53	11.2	0 (1957-58)	249 (1955-56)	35.3
423202C	Warrego River	Cunnamulla Weir	AR	Yes	1992	DNRM	0	103	0 (2013-14)	1,832 (2009-10)	205
424002	Paroo River	Willara Crossing	AR	Yes	1975	NOW	88.8	70.6	26 (1979-80)	2,072 (1975-76)	175
424201A	Paroo River	Caiwarro	AR	Yes	1967	DNRM	134	115	13 (2012-13)	2,041 (2009-10)	323
11202	Bulloo River	Autumnvale	AR	Yes	1967	DNRM	136	169	19 (1976-77)	3,241 (1973-74)	411

(1) AR = automatic recorder; SG = staff gauge, Established date = commencement date of Hydstra data records, NOW = NSW Office of Water, DNRM = Queensland Department of Natural Resources and Mines

Table 20 Groundwater monitoring network

Bore number	Location	State	Piezometer	Depth (m)	Automatic WL Recorder (Yes/No)	Year Installed	Depth to WL 2013-14		Depth to WL 2014-15	
							Max (m)	Min (m)	Max (m)	Min (m)
41640001	Keetah Crossing	Qld	A	87.3	No	1985	Not on network		Not on network	
41640001	Keetah Crossing	Qld	B	46.8	No	1985	5.98	5.66	6.02	5.94
41640002	Keetah Crossing	Qld	A	17.8	No	1985	Dry (8.37)		Dry (8.37)	
41640003	Yelarbon Desert	Qld	A	92.4	No	1985	4.17	3.61	4.18	3.89
41640003	Yelarbon Desert	Qld	B	47.9	No	1985	5.58	5.36	5.6	5.34
41630009	Glenarbon	Qld	A	93	No	1996	Not on network		Not on network	
41630042	David Muggleton	Qld	A	13.3	No	1959	7.28	6.22	7.39	7.31
41630039	'Eldorado'	Qld	A	16.7	No	1959	Not on network		Not on network	
41630072	Cunningham Weir	Qld	A	90.4	Yes	1985	48.16	30.99	48.08	34.64
41630072	Cunningham Weir	Qld	B	41.4	Yes	1985	38.87	31.01	38.64	32.73
41630072	Cunningham Weir	Qld	C	10.4	Yes	1985	5.69	5.22	5.91	5.69
41630064	Texas	Qld	A	52.5	No	1985	29.4	15.04	29.3	20.16
41630064	Texas	Qld	B	28.5	No	1985	20.76	13.12	21.16	17.11
41630066	Bill & Tater	Qld	A	90.4	Yes	1985	35.66	13.03	33.91	22.95
41630066	Bill & Tater	Qld	B	45.9	Yes	1985	29.97	13.77	33.56	23.21
41630067	Bill & Tater	Qld	A	12.2	Yes	1985	4.41	5.39	5.75	5.36
41630063	Finlay's	Qld	A	100.6	No	1983	26.36	6.4	31.5	9.96
41630063	Finlay's	Qld	B	64.6	No	1983	27.10	6.34	33.15	9.82
41630062	Finlay's	Qld	A	17.4	No	1985	6.36	5.03	7.15	6.1
41630071	Finlay's	Qld	A	48.2	No	1985	Not on network		Not on network	
41630071	Finlay's	Qld	B	41.2	No	1985	Not on network		Not on network	
41630059	John Moore	Qld	A	101.7	No	1985	6.5	6.06	6.83	6.55
41630069	John Moore	Qld	A	92	No	1985	18.69	8.51	19.34	10.65
41630069	John Moore	Qld	B	35.9	No	1985	13.47	7.06	14.75	10.85
41630069	John Moore	Qld	C	15.4	No	1985	7.87	6.01	8.21	6.75
41630060	John Moore	Qld	A	12.1	No	1985	Not on network		Not on network	
41630058	John Moore	Qld	A	10.6	No	1985	Not on network		Not on network	
41630070	Phillip Harpham	Qld	A	9.2	No	1985	4.91	2.93	6.18	4.80
41630004	V and E Sattolo	Qld	A	11.8	No	1960	Not on network		Not on network	
41630003	V and E Sattolo	Qld	A	27.1	No	1961	Not on Network		Not on network	
41630002	V and E Sattolo	Qld	A	29.9	No	1961	11.38	8.06	12.98	11.05
GW036697	Keetah Bridge	NSW	1	20	Yes	1987	8.83	8.8	8.86	8.83
GW036697	Keetah Bridge	NSW	2	64	Yes	1987	6.79	6.71	5.06	3.74
GW036697	Keetah Bridge	NSW	3	83.5	Yes	1987	4.98	4.39	6.82	6.77
GW040635	Smithfield Section	NSW	1	15.9	No	1960	8.85	8.25	9.15	8.45
GW040636	Smithfield Section	NSW	1	11.3	No	1960	7.45	7.03	7.82	7.7
GW040637	Smithfield Section	NSW	1	7.9	No	1960	6.11	5.71	6.58	6.29
GW040638	Smithfield Section	NSW	1	11.9	No	1960	9.59	9.15	10.32	9.63
GW40771	Smithfield Section	NSW	1	30	Yes	1994	29.79	29.62	29.89	29.62
GW40771	Smithfield Section	NSW	2	37	Yes	1994	32.73	31.18	33.18	31.3
GW40771	Smithfield Section	NSW	3	50	Yes	1994	35.09	32.33	35.06	32.65
GW040641	Riverstone Section	NSW	1	35	No	1960	9.88	7.56	9.77	8.33
GW040644	Riverstone Section	NSW	1	9.5	No	1960	8.19	8.01	8.84	8.33

Table 20 Groundwater monitoring network

Bore number	Location	State	Piezometer	Depth (m)	Automatic WL Recorder (Yes/No)	Year Installed	Depth to WL 2013-14		Depth to WL 2014-15	
							Max (m)	Min (m)	Max (m)	Min (m)
GW040646	Riverstone Section	NSW	1	7.7	No	1960	6.58	6.13	7.14	6.8
GW040647	Hopwood Section	NSW	1	12.8	No	1959	8.78	8.4	9.01	8.74
GW040649	Hopwood Section	NSW	1	28.9	No	1959	7.31	6.91	7.64	7.49
GW040652	Hopwood Section	NSW	1	12.2	No	1959	7.79	7.36	8.25	7.89
GW40829	Lochiel Section	NSW	1	12	No	1996	9.03	8.82	9.39	8.19
GW40829	Lochiel Section	NSW	2	42	No	1996	9.18	8.92	9.56	9.32
GW40830	Lochiel Section	NSW	1	27	No	1996	9.27	9.04	9.82	9.25
GW40831	Lochiel Section	NSW	1	44	Yes	1996	38.12	32.53	38.18	34.98
GW40831	Lochiel Section	NSW	2	96	Yes	1996	40.32	33.58	39.25	35.58

(1) Monitoring bore has no information available.